GALA 1B HINGED (FOR RECESS) COLLECTION Elysium


























	ı	Dimensi	ons				Code	Left	Right	Glass	Profile type Price
Size	Actual dimensions	Fixed panels	Access		Projection			S-	D-	1	K
			min	max	min	max				_	
	Α	F	4	k .		В				Clear	Chrome
GALA 1 - SEMI FRAMED											
80	77 ↔ 79,5	18	51	53	54	57	GALA1 1B 80	rk.	Зı		
90	87 ↔ 89,5	18	61	63	64	67	GALA1 1B 90				
100	97 ↔ 99,5	18	71	73	74	77	GALA1 1B 100				
110	107 ↔ 109,5	18	81	83	84	87	GALA1 1B 110	lt I	世	-	
120	117 ↔ 119,5	28	81	83	84	87	GALA1 1B 120	7			
H 15	0 \$ 210 L 77 ↔	120	•		SPE	C I AL	GALA1 1B SP		•		

GALA 2 - FRAMELESS												
80	77 ↔ 79,5	18	51	53	54	57	GALA2 1B 80	К	λı			
90	87 ↔ 89,5	18	61	63	64	67	GALA2 1B 90					
100	97 ↔ 99,5	18	71	73	74	77	GALA2 1B 100					
110	107 ↔ 109,5	18	81	83	84	87	GALA2 1B 110	H	ΙŁ	770		
120	117 ↔ 119,5	28	81	83	84	87	GALA2 1B 120	7				
H 150 \$ 210 L 77 ↔ 120 SPECIAL							GALA2 1B SP					
								_			7	- 5

GALA11B80

CAUTION: Due to the nature of the uncompromising frameless design on this product, the shower head must not be positioned so that the shower sprays directly on to the glass.


HOW TO CHOOSE YOUR PRODUCT USING THE CODES

MADE TO ORDER ONLY


SUPPORT BAR

STANDARD SUPPORT BAR (INCLUDED)






COMBINATION EXAMPLES OF SUPPORT BAR




For this combination order:

1 Swinging support bar



For this combination order:

2 Kit 2 bars "T" combination



For this combination order:

2 kit bars "T" combiantion



For this combination order:

3 Evo fixing kit



TECHNICAL DATA

GLASS TYPES (European standards UNI EN 14428)



Clear COD. 1

PROFILE COLOURS




Chrome COD. K

HANDLES




Chromed metal handles Interaxis 30 mm

OVERALL DIMENSIONS FIXING PROFILES




Standard profile GALA A/G/1B/2P/2A/R KP01GA1MO-K



Standard profile side panel

KP01GA1FI-K



Wall Bracket for all models with brackets

SFGA2MO1-K

For more information about profiles, see page 405

HOW TO TAKE THE MEASUREMENTS





Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.