


GALA 2P - HINGED + INLINE

COLLECTION **lysium**

SHOWER DOOR, 1 HINGED DOOR + 1 FIXED PANEL IN LINE FOR RECESS INSTALLATION



| Dimensions | | | | | | | Code | Left | Right | Glass | Profile type Price |
|------------|-------------------|--------------|----------|-----|------------|-----|------|------|-------|-------|--------------------|
| Size | Actual dimensions | Fixed panels | Access | | Projection | | | S- | D- | 1 | K |
| | | | min | max | min | max | | | | | |
| | A | F1 | * | | B | | | | | Clear | Chrome |

GALA 1 - SEMI FRAMED

| | | | | | | | | | | | |
|----------------------------------|-------------|----------------------------|----|----|----|----|---------------------|--|--|--|--|
| 120 | 114,5 ↔ 117 | 55 | 51 | 53 | 54 | 57 | GALA1 2P 115 | | | | |
| 120 | 117 ↔ 119,5 | 58 | 51 | 53 | 54 | 57 | GALA1 2P 120 | | | | |
| 140 | 137 ↔ 139,5 | 68 | 61 | 63 | 64 | 67 | GALA1 2P 140 | | | | |
| 160 | 157 ↔ 159,5 | 78 | 71 | 73 | 74 | 77 | GALA1 2P 160 | | | | |
| 180 | 177 ↔ 179,5 | 88 | 81 | 83 | 84 | 87 | GALA1 2P 180 | | | | |
| H 150 ↓ 210 L 114,5 ↔ 180 | | SPECIAL GALA1 2P SP | | | | | | | | | |

GALA 2 - FRAMELESS

| | | | | | | | | | | | |
|----------------------------------|-------------|----------------------------|----|----|----|----|---------------------|--|--|--|--|
| 120 | 114,5 ↔ 117 | 55 | 51 | 53 | 54 | 57 | GALA2 2P 115 | | | | |
| 120 | 117 ↔ 119,5 | 58 | 51 | 53 | 54 | 57 | GALA2 2P 120 | | | | |
| 140 | 137 ↔ 139,5 | 68 | 61 | 63 | 64 | 67 | GALA2 2P 140 | | | | |
| 160 | 157 ↔ 159,5 | 78 | 71 | 73 | 74 | 77 | GALA2 2P 160 | | | | |
| 180 | 177 ↔ 179,5 | 88 | 81 | 83 | 84 | 87 | GALA2 2P 180 | | | | |
| H 150 ↓ 210 L 114,5 ↔ 180 | | SPECIAL GALA2 2P SP | | | | | | | | | |

HOW TO CHOOSE YOUR PRODUCT USING THE CODES:



CAUTION: Due to the nature of the uncompromising frameless design on this product, the shower head must not be positioned so that the shower sprays directly on to the glass.

MADE TO ORDER ONLY

FRAMELESS



200 cm



8 mm



2,5 cm



p. 131




SEMI FRAMED

SUPPORT BAR

STANDARD SUPPORT BAR (INCLUDED)



OPTIONAL



1

Swinging support bar

1 swinging support bar
of 100/150/180 cm sizable

| Profile | cm | Code | Price |
|---------|-----|---------------------|-------|
| Silver | 100 | R80KUOR100-B | |
| Chrome | | R80KUOR100-K | |
| Silver | 150 | R80KUOR150-B | |
| Chrome | | R80KUOR150-K | |
| Silver | 180 | R80KUOR180-B | |
| Chrome | | R80KUOR180-K | |




2

Kit 2 bars "T" combination

- 2 bars of 150 cm sizable
- 1 wall attachment
- 2 glass clamps
- 1 connecting rods

| Profile | Code | Price |
|---------|----------------------|-------|
| Silver | R80KUORT150-B | |
| Chrome | R80KUORT150-K | |



3

EVO fixing system

- 1 front bar of 180 cm
- 1 side bar of 120 cm
- 2 clamps
- 1 angular union

| Profile | Code | Price |
|---------|------------------|-------|
| Silver | KUADHSF-B | |
| Chrome | KUADHSF-K | |




EVO fixing system (for recess version)

- 1 front bar of 180 cm
- 1 clamp


| Profile | Code | Price |
|---------|-------------------|-------|
| Silver | KUADHSFN-B | |
| Chrome | KUADHSFN-K | |

COMBINATION EXAMPLES OF SUPPORT BAR




For this combination order:

- 1 1 Swinging support bar




For this combination order:

- 2 Kit 2 bars "T" combination



For this combination order:

- 2 kit bars "T" combination



For this combination order:

- 3 Evo fixing kit

TECHNICAL DATA

GLASS TYPES (European standards UNI EN 14428)




Clear
COD. 1

PROFILE COLOURS




Chrome
COD. K

HANDLES




Chromed metal handles
Interaxis 30 mm


OVERALL DIMENSIONS FIXING PROFILES



Standard profile
GALA A / G / 1B / 2P / 2A / R
KP01GA1MO-K




Standard profile
side panel
KP01GA1FI-K




Wall Bracket for all
models with brackets
SFGA2MO1-K

For more information
about profiles, see page 405

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.